6839416



FIG. 1



FIG. 2



CONFERENCE	ADDRESSES	PORTS	POWER	DISABLE	
				ANNOUNCE	NO ANNOUNCE
1					
	A	12	5	☐	☐
	joe@cisco	9	4	☐	☐
	56.0.0.112	VPI/VCI	0	☐	☐
	214-953-6500	3	8	☐	☐
2	john@cisco	2	3	☐	☐
	x5102	72.1.1.39	6	☐	☐
	x5108	7	5	☐	☐
	C	1	1	☐	☐
	128	193	0	☐	☐
	408-555-1000	11	9	☐	☐
⋮	⋮	⋮	⋮	⋮	⋮

FIG. 3



CONFERENCE	ADDRESSES	PORTS	POWER	DISABLE	
				ANNOUNCE	NO ANNOUNCE
1					
	A	12	5	☐	☐
	joe@cisco	9	4	☐	☐
	56.0.0.112	VPI/VCI	0	☐	☐
	214-953-6500	3	8	☑	☐
2	john@cisco	2	3	☐	☐
	x5102	72.1.1.39	6	☐	☐
	x5108	7	5	☐	☑
	C	1	1	☐	☐
	128	193	0	☐	☐
	408-555-1000	11	9	☑	☐
⋮	⋮	⋮	⋮	⋮	⋮

FIG. 4

0062891-0448100


START
100
INITIATE CONFERENCE
102
ESTABLISH ADMINISTRATOR
104
STORE CONFERENCE PARAMETERS IN TABLE
110
ADD DEVICE?
YES
112
ADD DEVICE TO TABLE AND ALLOCATE
ESTABLISH ADMINISTRATIVE AUTHORITY
114
NO
120
REMOVE DEVICE?
YES
122
DELETE DEVICE FROM TABLE AND DEALLOCATE
NO
MONITOR CONTENT?
YES
132
DETERMINE POWER MEASUREMENT
130
NO
DISABLE MEDIA?
YES
142
REMOVE MEDIA FROM MIXED SIGNALS
UPDATE TABLE
134
140
NO
REVIEW CONTENT
136
ENABLE MEDIA?
YES
152
ADD MEDIA TO MIXED SIGNALS
150
NO
UPDATE TABLE
154
144
NO
ANNOUNCE ?
146
YES
PROMPT DEVICE TO REJOIN
148
TERMINATE CONFERENCE ?
NO
160
YES
END

FIG. 5

FIG. 6



09645250.062891.0448